

SAFFTY DATA SHFFT

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: 3405-M Part Number: 4255023 Manufacturer:

W. R. MEADOWS, INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

In case of emergency, dial (800) 424-9300 (CHEMTREC)

Telephone: (847) 214-2100

Revision Date: 7/21/2021 **Product Use: Hot-Applied Joint Sealant**

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HAZARD STATEMENTS HMIS |Health| WARNING! |1| |Flammability| Causes skin irritation. (Category 2) |1| |Reactivity| 101 Heated material will cause burns. |Personal Protection| 1 1

May be harmful if inhaled. (Category 5) PRECAUTIONARY STATEMENTS

Avoid direct contact with heated material.

Avoid inhalation of fumes.

SECTION 3: HAZARDS COMPONENTS

| | | CAS | % by | SARA | Vapor Pressure | LEL |
|----------------|----------------|---------------|--------|------------|----------------|---------|
| Chemi | cal Name: | <u>Number</u> | Weight | <u>313</u> | (mm Hg@20°C) | (@25°C) |
| 1. Petroleum A | Asphalt | 8052-42-4 | 45-50 | No | N/A | N/A |
| 2. Petroleum (| Oil Base Stock | 64742-65-0 | 20-25 | No | N/A | 0.9 |
| 3. Limestone | | 1317-65-3 | 20-25 | No | N/A | N/A |

N/A = Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Not expected to be an exposure route as supplied. If contact with molten material occurs, seek immediate medical attention.

SKIN CONTACT: Wash affected areas with soap and water if available. If contact with hot, molten material occurs cool affected area with water. Do not attempt to remove congealed solid. Do not use petroleum solvents to remove solids adhered to skin. Seek immediate medical attention.

INHALATION: Not expected to be an exposure route as supplied. If irritation occurs due to exposure to fumes produced by hot molten product, move victim from exposure source and treat symptomatically. If symptoms persist, seek medical attention.

INGESTION: Not expected to be an exposure source.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: Not applicable. Product is a solid.

EXTINGUISHING MEDIA: Water fog, foam, dry chemical.

CHEMICAL/COMBUSTION HAZARDS: Oxides and compounds of nitrogen/sulfur, carbon monoxide/dioxide, and incomplete

combustion products.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid smoke inhalation. Hot material may spatter if hit by a direct stream of water. Use appropriate personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Not applicable. Product is a solid. If molten material is spilled, avoid direct contact, allow material to cool, and landfill dispose.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact.

SAFE STORAGE: Prevent job-site damage.

SAFETY DATA SHEET

| | . /2. | SAF | EIY DAI | | 1 | | | |
|--|-----------------------|---------------------------------|-------------------|--------------|-------------------------|------------------|----------------|-------------|
| Date of Preparation: 7/2 | | | Page 2 o | | | | | 4255023 |
| | SECTIO | N 8: EXPOSU | | LS/PERSOI | NAL PROTECT | | | |
| | | OSHA | | | | ACG | | |
| <u>Chemical Name</u> : | <u>PEL</u> | PEL/CEILING | PEL/STEL | <u>SKIN</u> | <u>TLV</u> | TLV/CEILING | TLV/STEL | <u>SKIN</u> |
| 1. Petroleum Asphalt | 5 mg/m ³ * | N/E | N/E | No | 0.5 mg/m ³ * | N/E | N/E | N/E |
| 2. Petroleum Oil Base Stock | N/E | N/E | N/E | No | 5 mg/m ³ + | N/E | N/E | N/E |
| 3. Limestone | N/A | N/A | N/A | No | N/A | N/A | N/A | N/A |
| *: Asphalt Fum | ies +: N | Mineral Oil Mist | in Air | N/A = Not | Applicable | N/E: Not E | stablished | |
| ENGINEERING CONTROLS: None | e required unde | er normal use co | nditions. | | | | | |
| PERSONAL PROTECTIVE EQUIPM | /IENT: Safety g | lasses, chemical- | resistant glo | ves. | | | | |
| | SE | CTION 9: PHY | SICAL AND | CHEMICAL | PROPERTIES | | | |
| BOILING POINT: N/A | | VAPOR DENSIT | Y: N/A | | | % VOLATILE BY V | OLUME: N/A | |
| EVAPORATION RATE: N/A | | pH LEVEL: N/A | | | | % VOLATILE BY V | VEIGHT: N/A | |
| WEIGHT PER GALLON: N/A | | PRODUCT APPEARANCE: Black Solid | | | | VOC CONTENT: N/A | | |
| ODOR: None | | ODOR THRESH | OLD: N/D | | | MELTING/FREEZ | ING POINT: N | ′D |
| FLASH POINT: See Section 5 | | FLAMMABILITY | / : N/D | | | UEL/LEL: N/D | | |
| VAPOR PRESSURE: N/D | | RELATIVE DENS | SITY: N/D | | | SOLUBILITY: N/E |) | |
| PARTITION COEFFICENT: N/D | | | | | RE: N/D | | | |
| VISCOSITY: N/D | | | | t Applicable | | ot Determined | | • |
| 1,000 | | SECTION | 10: STABIL | | | | | |
| STABILITY: Stable. | | HAZARDOUS P | | | | | | |
| | O AVOID: Non | | OETHIERIZA. | | or occur. | | | |
| CONDITIONS AND MATERIALS TO AVOID: None recognized. HAZARDOUS DECOMPOSITION PRODUCTS: None recognized. | | | | | | | | |
| TIAZARDOOS DECONII OSITION | | | בטעורטו ספ | ICAL INEO | PMATION | | | |
| SECTION 11: TOXICOLOGICAL INFORMATION EYE CONTACT: Direct contact may cause mild irritation. Contact with heated material may cause severe burns. | | | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| SKIN CONTACT: Direct contact may cause slight skin irritation. Contact with heated material may cause severe burns. | | | | | | | | |
| INHALATION: Not anticipated to be an exposure route. Heated material may emit fumes. Exposure to fumes may result in | | | | | | | | |
| respiratory irritation. | | | | | | | | |
| INGESTION: Not anticipated to be an exposure route. | | | | | | | | |
| SIGNS AND SYMPTOMS: Symptoms of eye irritation include tearing, reddening, and swelling. Symptoms of skin irritation include | | | | | | | | |
| redness and swelling. Gastrointestinal irritation symptoms include nausea, vomiting, and abdominal discomfort. Symptoms of | | | | | | | | |
| respiratory irritation include runny nose, sore throat, coughing, chest discomfort, shortness of breath, | | | | | | | | |
| and reduced lung function. | | | | | | | | |
| AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product. | | | | | | | | |
| OTHER HEALTH EFFECTS: ACGIH Classifies asphalt as Not Classifiable as a Human Carcinogen; A4. | | | | | | | | |
| SECTION 12: ECOLOGICAL INFORMATION | | | | | | | | |
| ECOTOXICITY: | | | GRADABILITY | • | | DACCUMULATIVE | | |
| SOIL MOBILITY: | | OTHER ADVE | | | | N/E = | Not Establishe | d |
| | | SECTION 13: V | VASTE DISP | OSAL INFO | RMATION | | | |
| WASTE DISPOSAL INFORMATION: Landfill disposal. | | | | | | | | |
| SECTION 14: TRANSPORTATION INFORMATION | | | | | | | | |
| HAZARDOUS/NON-HAZARDOUS | MATERIAL: N | ot regulated by | DOT. | | | | | |
| UN NUMBER: None. | ŀ | HAZARD CLASS: | N/A | PACI | KING GROUP: | N/A | | |
| UN PROPER SHIPPING NAME: N | I/A | | | | | | | |
| ENVIRONMENTAL HAZARDS: None recognized. | | | | | | | | |
| BULK TRANSPORTATION INFOR | · · | None. | | | | | | |
| SPECIAL PRECAUTIONS: None. N/A = Not Applicable | | | | | | | | |
| | | SECTION 15: | REGULATO | ORY INFOR | | ,, | | |
| SECTION 15: REGULATORY INFORMATION | | | | | | | | |

None recognized.

OTHER REGULATORY CONSIDERATIONS:

SAFETY DATA SHEET

| Date of Preparation: | 7/21/21 | Page 3 of 3 | 4255023 | | |
|-------------------------------|------------|-------------|---------|--|--|
| SECTION 16: OTHER INFORMATION | | | | | |
| PREPARATION DATE: | 7/21/2021 | | | | |
| PREPARED BY: | Dave Carey | | | | |

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.