## **CEM-KOTE FLEX ST**

A cementitious waterproofing coating designed for positive and negative waterproofing of concrete structures in new construction and restoration.









is a cost-effective solution to traditional resin-based linings and does not require a dry concrete substrate during application.









**CEM-KOTE FLEX ST** is a highly flexible, breathable, two-component cementitious coating. The product is designed for use as a positive or negative side waterproofing on concrete structures.

**CEM-KOTE FLEX ST** is designed for ease of use and creates a flexible barrier against the ingress of moisture. The product will bridge minor cracks and will work on renovating old structures as well as protecting and waterproofing brand new concrete surfaces.

## **FEATURES/BENEFITS:**

- ANSI/NSF 61 certified for potable water tanks (>38 m³ 10,000 gal.)
- Superior flexibility
- Bridges substrate cracks up to 1/16" (1.6 mm)
- Designed for continuous water immersion applications
- · Long term crack resistance
- · Fast cure waterproofing
- · Superior freezing/thaw resistance
- · Excellent salt scaling resistance
- Effective protection against acid rain
- Self-curing
- Superior negative/positive waterproofing
- Breathable
- Easy mixing & sprayable application

For more information on CEM-KOTE FLEX ST, including guide specifications, CAD details, and samples, visit wrmeadows.com or call (800) 342-5976.



