

SAFETY DATA SHEET

Page 1 of 2

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

CLAY-TITE™ MASTIC Part Number: 5126500 Product:

Manufacturer: W. R. MEADOWS INC. 300 Industrial Drive Address:

HAZARD STATEMENTS

Hampshire, Illinois 60140

In case of emergency, dial (800) 424-9300 (CHEMTREC) Telephone: (847) 214-2100

3/11/2019 **Revision Date:**

HMIS

Product Use: Patching Compound

SECTION 2: HAZARDS IDENTIFICATION/EXP	OSURE LIMITS
---------------------------------------	--------------

|Health| DANGER! | 1 | | Flammability | |1| May cause cancer. |Reactivity| 0 | May cause skin irritation. | Personal Protection | May cause irritation of the eyes. 1 1

May cause respiratory irritation.

Causes lung damage through repeated/prolonged exposures.

May cause skin sensitization. PRECAUTIONARY STATEMENTS

Avoid direct contact. Avoid dust inhalation.

Use appropriate Personal Protective Equipment.



			SARA	Vapor Pressure	LEL
<u>Chemical Name</u> :	CAS Number	% by Weight	<u>313</u>	(mm Hg@20°C)	<u>(@25°C)</u>
1. Microcrystalline Silicon Dioxide	14808-60-7	<1	No	N/A	N/A
2. Bentonite	1302-78-9	40-70	No	N/A	N/A
3. Hydrotreated Light Naphthenic					
Distillate	64742-53-6	30-60	No	N/A	N/A

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313." N/A: Not Applicable

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with water for fifteen (15) minutes. If irritation persists, seek immediate medical attention.

SKIN CONTACT: Remove contaminated shoes/clothing. Flush affected areas with water. If irritation develops/persists, seek medical attention.

INHALATION: Remove victim from exposure source. Treat symptomatically. If symptoms persist, seek medical attention.

INGESTION: Do not induce vomiting. If vomiting spontaneously occurs, keep the head below the hips to prevent lung aspiration. Seek immediate medical attention

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: 300 °F

EXTINGUISHING MEDIA: Water fog, foam, carbon dioxide, or dry chemical.

CHEMICAL/COMBUSTION HAZARDS: Carbon monoxide, carbon dioxide, and incomplete combustion products.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid smoke inhalation. Use of full fire fighting equipment, including an SCBA, is recommended.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Evacuate unauthorized personnel. Scrape up spilled material. Flush affected areas to remove clean-up residues. Place in marked/non-leaking containers for disposal.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact with this material.

SAFE STORAGE: Store in cool, dry location. Keep containers closed when not in use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTIO

Γ	OSHA				ACGIH				
	Chemical Name:	PEL	PEL/CEILING	PEL/STEL	<u>SKIN</u>	TWA	TLV/CEILING	TLV/STEL	<u>SKIN</u>
1	 Microcrystalline 								
	Silicone Dioxide [†]	*See Below	N/E	N/E	N/E	0.025mg/m^3	N/E	N/E	N/E
12	2. Bentonite [†]	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E

SAFETY DATA SHEET

Date of Preparation: 3/11/19 Page 2 of 2 5126500

Section 8 continued

Chemical Name: PEL PEL/CEILING PEL/STEL SKIN TWA TLV/CEILING TLV/STEL SKIN

3. Hydrotreated Light Naphthenic

Distillate 2000 mg/m³ N/E N/E N/E 5 mg/m³ 10 mg/m³ N/E N/E

*: TWA Total Dust (30)/(%SiO2 + 2) mg/m³ TWA Respiratory Fraction (10)/(%SiO2 + 2) mg/m³ N/E: Not Established

†: Product in paste form. No exposure anticipated, unless product is abraded.

ENGINEERING CONTROLS: General ventilation is usually sufficient. Local exhaust systems may be used when general ventilation is inadequate.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 400 °F VAPOR DENSITY: >1 % VOLATILE BY VOLUME: Not Applicable

EVAPORATION RATE: Not Applicable pH LEVEL: Not Applicable % VOLATILE BY WEIGHT: 4
WEIGHT PER GALLON: 10 PRODUCT APPEARANCE: Brown Paste VOC CONTENT: 48 g/L

ODOR: Mild Organic ODOR THRESHOLD: N/D MELTING/FREEZING POINT: N/D

FLASH POINT: See Section 5 FLAMMABILITY: N/D UEL/LEL: N/D VAPOR PRESSURE: N/D RELATIVE DENSITY: N/D SOLUBILITY: N/D

PARTITION COEFFICENT: N/D

AUTOIGNITION TEMPERATURE: N/D

DECOMPOSITION TEMPERATURE: N/D

N/D: Not Determined

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents **HAZARDOUS DECOMPOSITION PRODUCTS:** None recognized.

SECTION 11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Direct contact may result in mild irritation.

SKIN CONTACT: May cause mild skin irritation. Sensitization reactions are possible.

INHALATION: Exposure may cause mild irritation of the nose, throat, respiratory tract, and other mucous membranes.

INGESTION: May cause mild to moderate irritation of the digestive tract.

SIGNS AND SYMPTOMS: Symptoms of eye exposure include pain, burning, redness, and swelling. Symptoms of skin irritation include redness, burning, swelling, and rash. Symptoms of respiratory irritation include runny nose, shortness of breath, chest discomfort, and reduced lung function. Symptoms of gastrointestinal exposure include abdominal pain, nausea, and vomiting.

AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product. **OTHER HEALTH EFFECTS:** Silicon dioxide is listed by the IARC and NTP as being carcinogenic to humans (IARC Group 1A). Hydrotreated naphthenic distillate is listed as a confirmed human carcinogen (IARC Group 1A).

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E DEGRADABILITY: N/E BIOACCUMULATIVE POTENTIAL: N/E

SOIL MOBILITY: N/E **OTHER ADVERSE EFFECTS:** N/E

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Not regulated as a hazardous waste in solid form. Landfill dispose.

SECTION 14: TRANSPORTATION INFORMATION

HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous material.

UN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.

UN PROPER SHIPPING NAME: None. **ENVIRONMENTAL HAZARDS:** None.

BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk configuration.

SPECIAL PRECAUTIONS: None.

SECTION 15: REGULATORY INFORMATION

OTHER REGULATORY CONSIDERATIONS: None.

SECTION 16: OTHER INFORMATION

PREPARATION DATE: 3/11/2019
PREPARED BY: Dave Carey

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.