

SAFETY DATA SHEET

						Page 1 of		
		N 1: PRODUCT A	ND COMPA	NY IDENTI	FICATION			
Product:		-GRIP₀ W/B		Part Num	ber: 3466000			
Manufacturer:	W. R. N	IEADOWS, INC	•	Address:	300 Industrial Drive			
					Hampshire, Illinois 6	50140		
Telephone:	(847) 214-2100			In case of emergency, dial (800) 424-9300 (CHEMTREC)				
Revision Date:	5/16/2023							
Product Use:		tant Concrete Seal						
	SECTION	2: HAZARDS IDE		N/EXPOSI	JRE LIMITS			
HMIS		HAZARD STATEM	IENTS					
Health	1	WARNING!			•			
Flammability	0							
Reactivity	0	May cause an alle	-		gory 1)			
Personal Protection		Causes eye irritat	ion. (Categor	y 2B)	i			
		May cause damage		-				
		1 0 1	peated exposi		ory 2)			
		PRECAUTIONARY						
		Avoid direct conta	act/breathing	mists.		•		
		Wear appropriate						
		SECTION 3: HAZ		MPONEN [®]				
			% by	SARA	Vapor Pressure	LEL		
Chemical Name:		<u>CAS Number</u>	<u>Weight</u>	<u>313</u>	<u>(mm Hg@20°C)</u>	<u>(@25°C)</u>		
1. N-Methyl Pyrolidone		872-50-4	1-5	N/E	0.29	1.2		
2. Ethylene Glycol Monobutyl Ether		111-76-2	1-5	Yes	0.66	1.1		
						Not Established		
Under the reporting requirements of S								
(SARA) and 40 CFR Part 372, chemicals					-	'SARA 313."		
		N 4: EMERGENC						
EYE CONTACT: Direct contact may res				•	•			
SKIN CONTACT: Direct contact may ca					ay result in skin irrita	tion and dermatitis.		
INHALATION: Exposure to mists/spray	•		• •					
INGESTION: Not anticipated to be an e		-	-			Signs of central		
nervous system depression (headache,	-							
	SE	CTION 5: FIRE A	ND EXPLOSI	VES HAZA	RDS			
FLASHPOINT: >200 °F								
EXTINGUISHING MEDIA: Water fog, fo								
CHEMICAL/COMBUSTION HAZARDS:		•		•				
PRECAUTIONS/PERSONAL PROTECTIV						IS.		
		CTION 6: ACCIDE						
SPILL OR LEAK PROCEDURES: Evacuat					rce of leak if safe to o	to so.		
Dike/contain. Place spill materials in se	ealed/marke							
		SECTION 7: HAI	NDLING AND	STORAG				
SAFE HANDLING PROCEDURES: Avoid	direct conta	ct.						

SAFE STORAGE: Keep containers closed when not in use.

		SAFET	/ DATA SH	EET				
Date of Preparation: 5/19/23			age 2 of 3					3466000
	SECTION 8	: EXPOSURE C		SONAL F	PROTECTION			
OSHA ACGIH								
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	<u>SKIN</u>	TWA	TLV/CEILING	<u>TLV/STEL</u>	<u>SKIN</u>
1. N-Methyl Pyrolidone	N/E	N/E	N/E	No	100 ppm	N/E	N/E	No
2. Ethylene Glycol Monobutyl Ether	50 ppm	N/E	N/E	Yes	20 ppm	N/E	N/E	Yes
						٨	I/E: Not Esta	blished
ENGINEERING CONTROLS: None requi	red under no	rmal conditions	of use.					
PERSONAL PROTECTIVE EQUIPMENT:	Safety glasse	s, chemical-resis	stant gloves.					
	SECTIO	ON 9: PHYSICA	L AND CHEMI	CAL PRO	PERTIES			
BOILING POINT: 212 °F (for water)	VAPOR DE	ENSITY: > 1 (air=	:1)		% VOLATILE	BY VOLUME: N	/E	
EVAPORATION RATE: <1 (ether=1)	pH LEVEL: 8.24 % VOLATILE BY WEIGHT: N/E							
WEIGHT PER GALLON: 8.60	PRODUCT APPEARANCE: Opaque Liquid VOC CONTENT: 204 g/L							
ODOR: Solvent	ODOR THRESHOLD: N/D MELTING/FREEZING POINT: N/D							
FLASH POINT: See Section 5	FLAMMABILITY: N/D UEL/LEL: N/D							
VAPOR PRESSURE: N/D	RELATIVE DENSITY: N/D SOLUBILITY: N/D							
PARTITION COEFFICENT: N/D	AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D							
VISCOSITY: N/D			I/D: Not Determ			Vot Established		
			STABILITY/RE					
STABILITY: Stable.		HAZARDOUS PC	DLYMERIZATION	I: Will no	t occur.			
CONDITIONS AND MATERIALS TO AVO	-							
HAZARDOUS DECOMPOSITION PRODU						n products.		
		TION 11: TOXI						
EYE CONTACT: Flush eyes with water f						.		
SKIN CONTACT: Remove contaminated	d clothing/sh	oes. Cleanse aff	ected areas with	mild soa	p and water.	If irritation persi	ists,	
seek medical attention.								
INHALATION: Remove victim from exp			-					
INGESTION: Dilute with two glasses of				• •	-	spontaneously of	ccurs,	
keep the victim's head below the hips t						6 1 • • • •		
SIGNS AND SYMPTOMS: Symptoms of	-		-	-				
include reddening, swelling, rash, and r		• •			•			
discomfort. shortness of breath, and re	aucea lung fi	unction. Sympto	oms of gastrointe	estinai irri	tation include	e sore throat, abo	dominai	
pain, nausea, vomiting, and diarrhea.	.							
AGGRAVATED MEDICAL CONDITIONS:	-		-					
OTHER HEALTH EFFECTS: Target organs include lungs, liver, and kidneys. Ethylene Glycol Monobutyl Ether has been shown to cause cancer in laboratory animals. The relevance of this finding to humans is uncertain.								
cancer in laboratory animals. The relev		-						
ECOTOXICIT		ECTION 12: EC	EGRADABILITY:			CCUMULATIVE		NI/E
SOIL MOBILIT			VERSE EFFECTS:		DIUA	N/E: Not Est		IN/E
		TION 13: WAS				N/L. NOLLSU	ublisheu	
WASTE DISPOSAL INFORMATION: Pro								
WASTE DISPOSAL INFORMATION. PTO		ION 14: TRAN						
HAZARDOUS/NON-HAZARDOUS MATE			SPORTATION					
UN NUMBER: None.		HAZARD CLASS:	None	PACKI		None		
UN PROPER SHIPPING NAME: None.		INALAND CLASS.	NUTE.			ione.		
ENVIRONMENTAL HAZARDS: None red	ognized							
BULK TRANSPORTATION INFORMATIO	-	cable Product i	s not shinned in	hulk conf	iguration			
SPECIAL PRECAUTIONS: None recogniz			s not sinphen III		igui ation.			
of Leine Friend Hond, Mone recogniz								

Date of Preparation: 5/19/23	Page 3 of 3	3466000
	SECTION 15: REGULATORY INFORMATION	
OTHER REGULATORY CONSIDERATIONS: None.		
	SECTION 16: OTHER INFORMATION	
PREPARATION DATE: 5/19/2023		
PREPARED BY: Dave Carey		

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.