W. R. MEADOWS, SEATTIGHT,



	SECTION 1: PRO MEADOW-CRETE® FNP	DUCT AND C	OMPANY ID	ENTIFICATION			
	MEADOW-CRETE _® FNP						
Manufacturor		P	Part Number:	8135000			
ivialiulacturer.	W. R. MEADOWS, INC.	A	Address: 30	00 Industrial Drive			
			Ha	ampshire, Illinois 60	140		
Telephone: (847) 214-2100	h	n case of eme	ergency, dial (800) 42	24-9300 (CHEMTREC)		
Revision Date: 1	1/10/2022						
Product Use: F	Repair Mortar						
	SECTION 2: HAZA	ARDS IDENTIF	ICATION/EX	POSURE LIMITS			
HMIS	HAZARD STATE	VIENTS					
Health	2 DANGER!						
Flammability	0 May cause cance	May cause cancer. (Category 1)					
Reactivity	0 Causes severe sk	Causes severe skin burns and eye damage. (Category 1B)					
Personal Protection	May cause an all	May cause an allergic skin reaction. (Category 1B)					
	Harmful if inhaled. (Category 4)						
	May cause respi			3) 🧹			
	May cause dama	-			•		
	-	repeated expos	-	ory 1)			
PRECAUTIONARY STATEMENTS							
	Avoid direct con	tact.					
	Avoid dust inhal	ation.			•		
	Use appropriate	Personal Prote	ective Equipm	ent.			
		N 3: HAZARD					
		% by	SARA	Vapor Pressure	LEL		
Chemical Name:	CAS Number	Weight	<u>313</u>	(mm Hg@20°C)	<u>(@25°C)</u>		
1. Microcrystalline Silicon Dio		55-60	No	N/A	 N/A		
2. Portland Cement	65997-15-1	35-40	No	N/A	N/A		
3. Calcium Oxide	1305-78-8	1-5	No	N/A	N/A		
				N/A = Not Applic			
Under the reporting requirem	nents of Section 313 of Title II	I of the Superfu	und Amendme				
	chemicals listed on the 313 Lis						
	SECTION 4: EM						
EYE CONTACT: Immediately f	flush eyes with water for fiftee				on.		
	, taminated shoes/clothing. Flu						
medical attention.							
INHALATION: Remove victim	n from exposure source. Treat	symptomatica	llv. If symptor	ms persist, seek med	lical attention.		
	omiting. If vomiting spontaned						
aspiration. Seek immediate r		, , .					
	MS/EFFECTS, ACUTE AND CH	RONIC: See Se	ction Eleven f	or Symptoms/Effect	s.		
		: FIRE AND EX			-		
FLASHPOINT: None.							
	applicableproduct will not b	ourn.					
	AZARDS: None recognized. Ma		support comb	oustion.			
PRECAUTIONS/PERSONAL PR	-				ropriate respiratory		
protection.					,,		
	SECTION 6:	ACCIDENTA	L RELEASE M	IEASURES			
SPILL OR LEAK PROCEDURES	: Evacuate unauthorized pers				e dust creation or wet		
	f dust. Place in marked/non-le						
	· ·	-	·				

		S	AFETY DA	ГА SH	EET			
Date of Preparation	: 1/10/22		Page 2	of 3				8215000
			on 7: Handlin	-				
SAFE HANDLING PROCED				s well as	the creation of du	ust.		
SAFE STORAGE: Store in				-				
	SEC			DLS/PER	SONAL PROTEC			
		OSH	IA				GIH	
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	<u>5 TLV/STEL</u>	<u>SKIN</u>
1. Microcrystalline								
Silicone Dioxide	*See Below	N/E	N/E	N/E	0.025 mg/m^3	N/E	N/E	N/E
2. Portland Cement	5 mg/m ³	N/E	N/E	N/E	1 mg/m^3	N/E	N/E	N/E
3. Calcium Oxide	5 mg/m ³	N/E	N/E	N/E	5 mg/m ³	N/E	N/E	N/E
	ist (30)/(%SiO2 +				(10)/(%SiO2 + 2)	mg/m³ /	N/E: Not Establis	hed
ENGINEERING CONTROLS					exposure limits.			
PERSONAL PROTECTIVE	EQUIPMENT: Sa							
		SECTION 9:	PHYSICAL AND	CHEMIC	CAL PROPERTIES	5		
BOILING POINT: N/A VAPOR DENSITY: N/A						% VOLATILE BY VOLUME: N/A		
EVAPORATION RATE: N/	Ά	pH LEVEL: 10-			% VOLATILE BY WEIGHT: N/A			
WEIGHT PER GALLON: N/A PRODUCT APPEARANCE: Gray Powder				VOC CONTENT: 0 g/L				
ODOR: No Odor	ODOR: No Odor ODOR THRESHOLD: N/D				MELTING/FREEZING POINT: N/D			
LASH POINT: See Section 5 FLAMMABILITY: N/D			UEL/LEL: N/D					
VAPOR PRESSURE: N/D	/APOR PRESSURE: N/D RELATIVE DENSITY: N/D			SOLUBILITY: N/D				
PARTITION COEFFICENT:	N/D	AUTOIGNITIO	N TEMPERATURE	: N/D	DECOMPOSITION TEMPERATURE: N/D			
VISCOSITY: N/D			N/A: Not A	Applicabl	e N/D: No	t Determined		
		SECT	ION 10: STABI	LITY/REA	ACTIVITY			
STABILITY: Stable.		HAZARDOUS P	OLYMERIZATION	l: Will no	ot occur.			
CONDITIONS AND MATE	RIALS TO AVOID	: When hydrate	d acids, ammo	nium salt	ts, aluminum met	al.		
HAZARDOUS DECOMPOS	SITION PRODUCT	S: None recog	nized.					
		SECTION 1	1: TOXICOLOG	GICAL IN	FORMATION			
EYE CONTACT: Direct cor	ntact may result i	n severe irritati	on and possible o	chemical	burns.			
SKIN CONTACT: May cau	ise moderate ski	n irritation. Pro	longed contact n	nay resul	t in chemical buri	ns. Prolonged	/repeated	
contact may cause sensit	ization reactions	in susceptible i	ndividuals.					
INHALATION: Exposure may cause moderate irritation of the nose, throat, respiratory tract, and other mucous membranes.								
Inhalation of silica dust m	-				•			
INGESTION: May cause r	-			May cau	use stomach upse	t and vomiting	g.	
SIGNS AND SYMPTOMS:			-				-	
include redness, burning,				-	-			
discomfort, and reduced	-							
AGGRAVATED MEDICAL	-						-	
to this product.		0,	,, ,	,	, 66	, ,		
OTHER HEALTH EFFECTS:	Silicon dioxide i	is listed by the L	ARC and NTP as b	peing car	cinogenic to hum	ans (IARC Gro	up 1A).	
		· · ·	12: ECOLOGI					
ECOTOXICITY: N/E			GRADABILITY:			ACCUMULAT	IVE POTENTIAL:	N/E
SOIL MOBILITY: N/E			ERSE EFFECTS: N	•			Established	
			3: WASTE DISI	;	NFORMATION	, .		
WASTE DISPOSAL INFOR	MATION: Hvdra					dispose.		
			4: TRANSPORT					
HAZARDOUS/NON-HAZA	RDOUS MATERI							
UN NUMBER: None.		AZARD CLASS:		PA		lone.		
UN PROPER SHIPPING NA								

SAFETY DATA SHEET

Date of Preparation	: 1/10/22	Page 3 of 3	8215000
Section 14 continued			
ENVIRONMENTAL HAZA	RDS: None.		
BULK TRANSPORTATION	INFORMATION: Not app	plicable; product is not shipped in bulk configuration.	
SPECIAL PRECAUTIONS:	None.		
	SE	ECTION 15: REGULATORY INFORMATION	
OTHER REGULATORY CO	NSIDERATIONS: None.		
		SECTION 16: OTHER INFORMATION	
PREPARATION DATE:	1/10/2022		
PREPARED BY:	Dave Carey		

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.