



# SAFETY DATA SHEET

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product:** MEL-ROL® LIQUID MEMBRANE **Part Number:** 5120000-B  
**Component B**  
**Manufacturer:** W. R. MEADOWS, INC. **Address:** 300 Industrial Drive  
Hampshire, Illinois 60140  
**Telephone:** (847) 214-2100 **In case of emergency, dial (800) 424-9300 (CHEMTREC)**  
**Revision Date:** 11/15/2022  
**Product Use:** Two Component Waterproofing Membrane

## SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HMIS	HAZARD STATEMENTS
Health	1   <b>DANGER!</b>
Flammability	1   Causes mild skin irritation. <b>(Category 3)</b>
Reactivity	0   May damage fertility or the unborn child. <b>(Category 1)</b>
Personal Protection	<b>PRECAUTIONARY STATEMENTS</b>
	Avoid direct contact.
	Avoid inhalation of vapors/mists.



## SECTION 3: HAZARDOUS COMPONENTS

<b>Chemical Name:</b>	<b>CAS Number</b>	<b>% by Weight</b>	<b>SARA 313</b>	<b>Vapor Pressure (mm Hg@20°C)</b>	<b>LEL (@25°C)</b>
1. Petroleum Asphalt	8052-42-4	30-35	No	N/A	N/A
2. Butyl Benzyl Phthalate	85-68-7	5-10	No	0.16	N/A

N/A = Not Applicable

This product contains Kaolin Clay. Kaolin Clay contains small amounts of crystalline silica as a naturally occurring component. Exposure to silica is not to occur as the product is supplied as a solution. If product is dried/abraded, appropriate protective measures should be taken to prevent exposure to silica.

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

## SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

**EYE CONTACT:** If symptoms develop, move victim from exposure source and into fresh air. Flush eyes with water for fifteen (15) minutes. If symptoms persist, seek medical attention.

**SKIN CONTACT:** Wash affected areas with mild soap and water. If irritation persists, seek medical attention.

**INHALATION:** Move victim from exposure source and into fresh air. Treat symptomatically.

**INGESTION:** Dilute with liquid unless the victim is unconscious or very drowsy. If vomiting spontaneously occurs, keep the victim's head below the hips to prevent lung aspiration. Seek immediate medical attention.

**MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC:** See Section Eleven for Symptoms/Effects.

## SECTION 5: FIRE AND EXPLOSIVES HAZARDS

**FLASHPOINT:** > 200°F

**EXTINGUISHING MEDIA:** Water fog, foam, dry chemical, or carbon dioxide.

**CHEMICAL/COMBUSTION HAZARDS:** Carbon monoxide, carbon dioxide, and incomplete combustion products.

**PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT:** Fire fighters should wear full ensemble with self-contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**SPILL OR LEAK PROCEDURES:** Dike/contain spilled material. Remove source of leak if safe to do so. Contain run-off. Wear appropriate personal protective equipment. Soak up spilled material with appropriate absorbent and place in sealed containers for disposal.



## SAFETY DATA SHEET

<b>Date of Preparation:</b> 11/15/22	Page 3 of 3	5120000-B
<b>SECTION 15: REGULATORY INFORMATION</b>		
<b>OTHER REGULATORY CONSIDERATIONS:</b> None		
<b>SECTION 16: OTHER INFORMATION</b>		
<b>PREPARATION DATE:</b>	11/15/2022	
<b>PREPARED BY:</b>	Dave Carey	

---

---

*The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.*

---

---