

# SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: SPECTRUM RE-KOTE TF Part Number: 8247000

Manufacturer: W. R. MEADOWS, INC. Address: 300 Industrial Drive

**HAZARD STATEMENTS** 

Hampshire, Illinois 60140

**Telephone:** (847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC)

**Revision Date:** 12/31/2019

HMIS

Product Use: Concrete Overlay/Repair Mortar

C	FCT	ION	2.	HA7/	PDC	IDENT	FICATION	/EXPOSURE	2TIMI
-	ECI	IUIV	۷.	$\Pi A L F$	เกบว	IDENT	FICATION	EXPUSURE	LIIVIII

| Health | | 2 | DANGER!
| Flammability | | 0 | May cause cancer.
| Reactivity | | 0 | May cause skin irritation/burns.
| Personal Protection | | May cause burns to the eyes.
| May cause skin sensitization.
| May cause respiratory irritation.

Causes lung damage through repeated/prolonged exposures.

PRECAUTIONARY STATEMENTS

Avoid direct contact.

Avoid dust inhalation.

Use appropriate Personal Protective Equipment.

# **SECTION 3: HAZARDS COMPONENTS**

	% by	SARA	Vapor Pressure	LEL
<b>CAS Number</b>	<u>Weight</u>	<u>313</u>	(mm Hg@20°C)	(@25°C)
14808-60-7	60-65	No	N/A	N/A
65997-15-1	30-35	No	N/A	N/A
13463-67-7	1-5	No	N/A	N/A
	14808-60-7 65997-15-1	CAS Number         Weight           14808-60-7         60-65           65997-15-1         30-35	CAS Number         Weight         313           14808-60-7         60-65         No           65997-15-1         30-35         No	CAS Number         Weight         313         (mm Hg@20°C)           14808-60-7         60-65         No         N/A           65997-15-1         30-35         No         N/A

N/A = Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

# **SECTION 4: EMERGENCY AND FIRST AID PROCEDURES**

EYE CONTACT: Immediately flush eyes with water for fifteen (15) minutes. Seek immediate medical attention.

**SKIN CONTACT:** Remove contaminated shoes/clothing. Flush affected areas with water. If irritation develops/persists, seek medical attention.

INHALATION: Remove victim from exposure source. Treat symptomatically. If symptoms persist, seek medical attention.

**INGESTION:** Do not induce vomiting. If vomiting spontaneously occurs, keep the head below the hips to prevent lung aspiration.

Seek immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

### **SECTION 5: FIRE AND EXPLOSIVES HAZARDS**

FLASHPOINT: None.

**EXTINGUISHING MEDIA:** Not applicable--product will not burn.

CHEMICAL/COMBUSTION HAZARDS: None recognized. Material will not support combustion.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid inhalation of dust if bags are broken. Use appropriate respiratory protection.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**SPILL OR LEAK PROCEDURES:** Evacuate unauthorized personnel. Clean up using methods that will minimize dust creation or wet methods. Avoid inhalation of dust. Place in marked/non-leaking containers for disposal. Flush affected areas to remove trace residue.

# **SECTION 7: HANDLING AND STORAGE**

SAFE HANDLING PROCEDURES: Avoid direct contact with this material, as well as the creation of dust.

SAFE STORAGE: Store in cool, dry location away from moisture sources.



SAFETY DATA SHEET  Date of Preparation: 12/31/19 Page 2 of 3 8247000								
Date of Preparation:		CTION 8. EXPO			ONAL PROTECTI	ON		8247000
	<u> </u>	OSH		) LO   L   L   L   L   L   L   L   L   L	JIVAL I NO ILCII	ACGII	Н	
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	SKIN	TWA	TLV/CEILING	TLV/STEL	SKIN
Microcrystalline	<del></del>		<del>,</del>					
Silicone Dioxide	*See Below	N/E	N/E	N/E	0.025 mg/m <sup>3</sup>	N/E	N/E	N/E
2. Portland Cement	5 mg/m <sup>3</sup>	N/E	N/E	N/E	1 mg/m <sup>3</sup>	N/E	N/E	N/E
3. Titanium Dioxide	15 mg/m <sup>3</sup>	N/E	N/E	N/E	10 mg/m <sup>3</sup>	N/E	N/E	N/E
*: TWA Total Du	ıst (30)/(%SiO2 + :	2) mg/m <sup>3</sup> TW	/A Respiratory F	raction (10	)/(%SiO2 + 2) mg	/m³ <i>N/E</i> .	: Not Establishe	ed
<b>ENGINEERING CONTROLS</b>			els below establi	shed expos	sure limits.			
PERSONAL PROTECTIVE E	QUIPMENT: Safe	ty glasses, chemi	ical-resistant glo	ves.				
		SECTION 9: I	PHYSICAL AND	CHEMICA	L PROPERTIES			
BOILING POINT: Not Appl	icable	VAPOR DENSIT	Y: Not Applicab	le	% VOLATILE BY	VOLUME: Not A	Applicable	
<b>EVAPORATION RATE:</b> Not	t Applicable	pH LEVEL: 10-12 (Hydrated)			% VOLATILE BY WEIGHT: Not Applicable			
WEIGHT PER GALLON: No	ot Applicable	PRODUCT APPEARANCE: Gray Powder			VOC CONTENT: 0 g/L			
ODOR: None	ODOR THRESHOLD: Not Applicable			MELTING/FREEZING POINT: Not Applicable				
FLASH POINT: See Section	FLAMMABILITY: See Section 5			UEL/LEL: Not Applicable				
VAPOR PRESSURE: Not A	RELATIVE DENSITY: Not Applicable			SOLUBILITY: Not Applicable				
PARTITION COEFFICENT:	AUTOIGNITION TEMP: Not Applicable			<b>DECOMPOSITION TEMP:</b> Not Applicable				
VISCOSITY: Not Applicable								
SECTION 10: STABILITY/REACTIVITY								
STABILITY: Stable.			OLYMERIZATION					
CONDITIONS AND MATERIALS TO AVOID: When hydrated acids, ammonium salts, aluminum metal.								
HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.								
SECTION 11: TOXICOLOGICAL INFORMATION								
EYE CONTACT: Direct contact may result in severe irritation and possible chemical burns.								
SKIN CONTACT: May cause moderate skin irritation. Prolonged contact may result in chemical burns. Prolonged/repeated contact								
may cause sensitization reactions in susceptible individuals.								
<b>INHALATION:</b> Exposure may cause moderate irritation of the nose, throat, respiratory tract, and other mucous membranes.								
Inhalation of silica dust may result in lung disease (Silicosis).								
<b>INGESTION:</b> May cause mild to moderate irritation of the digestive tract. May cause stomach upset and vomiting.								
SIGNS AND SYMPTOMS: Symptoms of eye exposure include pain, burning, redness, and swelling. Symptoms of skin irritation include								
redness, burning, swelling, and rash. Symptoms of respiratory irritation include runny nose, shortness of breath, chest discomfort,								
and reduced lung function. Symptoms of gastrointestinal exposure include abdominal pain, nausea, and vomiting.								
AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to this product.								
OTHER HEALTH EFFECTS: Silicon dioxide is listed by the IARC and NTP as being carcinogenic to humans (IARC Group 1A).								
SECTION 12: ECOLOGICAL INFORMATION								

SECTION 12: ECOLOGICAL INFORMATION					
ECOTOXICITY: N/E	<b>DEGRADABILITY:</b> N/E	<b>BIOACCUMULATIVE POTENTIAL:</b> N/E			
SOIL MOBILITY: N/E	OTHER ADVERSE EFFECTS: N/E				
SECTION 13: WASTE DISPOSAL INFORMATION					

WASTE DISPOSAL INFORMATION: Hydrated material will solidify to a non-hazardous solid. Landfill dispose.

SECTION 14: TRANSPORTATION INFORMATION

HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous material.

UN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.

**UN PROPER SHIPPING NAME:** None. **ENVIRONMENTAL HAZARDS:** None.

BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk configuration.

SPECIAL PRECAUTIONS: None.

SECTION 15: REGULATORY INFORMATION

OTHER REGULATORY CONSIDERATIONS: None.

SECTION 16: OTHER INFORMATION

PREPARATION DATE: 12/31/2019
PREPARED BY: Dave Carey

SAFETY DATA SHEET Page 3 of 3 Date of Preparation: 12/31/19 8247000

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.