

Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

**1 Identification**

**Product identifier**

Trade name: *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A*

SDS ID Number: 43013

**Relevant identified uses of the substance or mixture, and uses advised against**

Waterproofing.  
Specialty construction product. Not intended for other uses

**Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**  
GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA

GCP Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

**Information department:**

Environmental Health & Safety  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts  
CAN: 1-905-683-8561 (24 hours)  
Email address: msds.gcp@gcpat.com

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)

**2 Hazard(s) identification**

**Classification of the substance or mixture**

The product is not classified according to the Globally Harmonized System (GHS).

**Label elements:**

**Hazard pictograms** Not applicable.

Not applicable.

**Hazard statements** Not applicable.

**Additional information:** Avoid breathing dust.

**NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 0  
Reactivity = 0

**HMIS-ratings (scale 0 - 4)**



Health = 1  
Flammability = 0  
Reactivity = 0

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

**Trade name:** *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A*

(Cont. from page 1)

vPvB: Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization:** Mixture

**Hazardous components:** Not applicable.

**Additional information:** Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

### 4 First-aid measures

**Description of first aid measures**

**General information:** Get medical advice/attention if you feel unwell.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

In case of skin contact, clean fingernails and wash skin with soap and water. If residue remains clean with waterless hand-cleaner or abrasive soap. Never use solvents.

If discomfort or irritation persists, consult a physician.

Remove contaminated clothing and wash before reuse.

**After eye contact:**

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

**Special hazards arising from the substance or mixture** No further relevant information available.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**Methods and material for containment and cleaning up:**

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

(Cont. on page 3)

USGHS

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

**Trade name: Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A**

(Cont. from page 2)

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling:****Precautions for safe handling**

Open and handle receptacle with care.

Use all product within 30-60 minutes of mixing to avoid an exothermic reaction (release of heat and fumes) Reaction times may vary depending upon temperature and mixing conditions.

**Information about protection against explosions and fires:** No special measures required.

**Conditions for safe storage, including any incompatibilities****Storage:**

**Information about storage in one common storage facility:** No special measures required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

**Control parameters****Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

**Work/Hygienic Practices:**

Use good personal hygiene practices.

Carbon disulfide and other potentially harmful gases, Methanol vapors and fumes may evolve as a result of exothermic reactions ("hot product") when components are mixed. Carbon disulfide may be detected by odor at about 1 ppm, but the ability to smell fatigues (diminishes) rapidly therefore, odor does not serve as a good warning property. If eye or respiratory irritation is present, or if a foul odor is detected, you may be experiencing exposure to Carbon disulfide and other organics. Leave the area immediately and seek fresh air.

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

**Protection of hands:** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

**Material of gloves** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

(Cont. on page 4)

USGHS

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

Trade name: *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A*

(Cont. from page 3)

**Eye protection:**

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

**Body protection:**

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

**General Information****Appearance:**

<b>Form:</b>	Viscous liquid
<b>Color:</b>	Green
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

**pH-value (-) at 20 °C (68 °F):** 8

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
<b>Flash point:</b>	> 200 °C (> 392 °F)

**Flammability (solid, gaseous):** Not applicable.

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not self-igniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>VOC Content (max):</b>	0.11 %

<b>Vapor pressure:</b>	Not determined.
<b>Density: (~)</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

**Solubility in / Miscibility with Water:** Not miscible or difficult to mix.

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Molecular weight</b>	Not applicable.

(Cont. on page 5)

USGHS

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

Trade name: *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A*

(Cont. from page 4)

**Other information**

No further relevant information available.

**10 Stability and reactivity****Reactivity** Stable under normal conditions.**Chemical stability****Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.**11 Toxicological information****Information on toxicological effects****Acute toxicity:****Primary irritant effect:****on the skin:** No irritating effect expected**on the eye:** No irritating effect expected**inhalation:** No irritating effect expected**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**  
**Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

13463-67-7	Titanium dioxide	2B
14808-60-7	Quartz (SiO <sub>2</sub> )	1

**NTP (National Toxicology Program)****K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

14808-60-7	Quartz (SiO <sub>2</sub> )	K
------------	----------------------------	---

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.(Cont. on page 6)  
USGHS

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

Trade name: *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A*

(Cont. from page 5)

**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.**14 Transport information****UN-Number**

DOT, IMDG, IATA

Not applicable.

**UN proper shipping name**

DOT, IMDG, IATA

Not applicable.

**Transport hazard class(es)**

DOT, IMDG, IATA

Class

Not applicable.

**Packing group**

DOT, IMDG, IATA

Not applicable.

**Environmental hazards:****Marine pollutant:**

No

**Special precautions for user**

Not applicable.

**Transport/Additional information:** Not classified as a dangerous good for transport by road, rail or air.

DOT

**Remarks:**

Not Regulated.

**UN "Model Regulation":**

Not applicable.

**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

(Cont. on page 7)

USGHS

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

Trade name: *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A*

(Cont. from page 6)

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

None of the ingredients is listed.

**SARA Section 312/Tier I & II Hazard Categories:** None**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**Right to Know Ingredient Disclosure:**

	Proprietary Polymer Dispersion - NJ801416024
25213-24-5	vinyl alcohol/vinyl acetate copolymer
8031-18-3	Clay 2
7732-18-5	Water

**California Proposition 65****Chemicals known to cause cancer:**

Titanium dioxide

Quartz (SiO<sub>2</sub>)**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

67-56-1 | Methanol

**Carcinogenicity Categories****EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**

13463-67-7 | Titanium dioxide

14808-60-7 | Quartz (SiO<sub>2</sub>)**Volatile Organic Compounds (VOC) reported per the Emission Standards.**

Single Component Products VOC 28 g/L

Two Component Products 113.4 g/L

**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

**Department issuing SDS:**

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

**Other Information:**

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

(Cont. on page 8)

USGHS

## Safety Data Sheet

Printing date 03/29/2017

Version Number 1.0

Reviewed on 03/29/2017

**Trade name: *Perm-A-Barrier (PAB) VP, PAB VP LT Part A, PAB VPO, PAB VPO LT Part A***

(Cont. from page 7)

**Date of preparation / last revision** 03/29/2017 / -**The first date of preparation** 01/16/2013**Number of revision times and the latest revision date** 1.0 / 03/29/2017

USGHS