



SikaWall®-85 Flash Seal NP

Revision Date 27.06.2025

Print Date 27.06.2025

SECTION 1: Identification of the product and of the company

Product identifier

Trade name : SikaWall®-85 Flash Seal NP

Details of the supplier

Company name of supplier : Sika Corporation
201 Polito Avenue
Lyndhurst, NJ 07071
USA
www.sikausa.com
Telephone : (201) 933-8800
Telefax : (201) 804-1076
E-mail address of person responsible for the SDS : ehs@sika-corp.com

SECTION 2: Hazards identification

Type of product : Article

OSHA's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)): "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical or health risk to employees.

SECTION 3: Composition/information on ingredients

Article

SECTION 4: First aid measures

In case of skin contact : No special measures required.

SECTION 5: Firefighting measures

Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Standard procedure for chemical fires.



SikaWall®-85 Flash Seal NP

Revision Date 27.06.2025

Print Date 27.06.2025

SECTION 6: Accidental release measures

Precautions for safe handling

- | | | |
|----------------------------------|---|--|
| Advice on safe handling | : | No special handling advice required. |
| Prevention of fire and explosion | : | Normal measures for preventive fire protection. |
| Hygiene measures | : | When using do not eat, drink or smoke.
Handle in accordance with good industrial hygiene and safety practice. |

SECTION 7: Handling and storage

No special measures required.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|--------------------------|---|-------------------------------|
| Eye protection | : | No special measures required. |
| Hand protection | : | No special measures required. |
| Skin and body protection | : | No special measures required. |
| Respiratory protection | : | No special measures required. |

Environmental exposure controls

No special environmental precautions required.

SECTION 9: Physical and chemical properties

- | | | |
|-------------|---|-------------------|
| Appearance | : | solid |
| Color | : | white |
| Odor | : | slight |
| Flash point | : | Not applicable |
| Density | : | No data available |



SikaWall®-85 Flash Seal NP

Revision Date 27.06.2025

Print Date 27.06.2025

Water solubility : insoluble

SECTION 10: Stability and reactivity

No dangerous reaction known under conditions of normal use. The product is chemically stable.

SECTION 11: Toxicological information

Articles do not present any toxicological hazard in their marketed form.

SECTION 12: Ecological information

Toxicity, Persistence and degradability, Bioaccumulative potential, Mobility in soil

No data available

SECTION 13: Disposal considerations

Product : Where possible recycling is preferred to disposal or incineration. Send to a licensed waste management company.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

TSCA

This product is an article under TSCA 40 CFR § 720.3 (c).

California Prop. 65

 **WARNING:** This product can expose you to chemicals including Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Notes to Reader

The information contained in this Voluntary Safety Information "VSI" applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended



SikaWall®-85 Flash Seal NP

Revision Date 27.06.2025

Print Date 27.06.2025

to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Voluntary Safety Information for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this VSI.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikausa.com or 201-933-8800.

Revision Date 27.06.2025

100000061198

US / Z8