

Revision Date: May 18, 2021 | Date of Issue: May 15, 2017 | Version Number: 3.0

SECTION 1: IDENTIFICATION

Product Identifier Product Name: Drago Sealant Form

Intended Use of the Product

Form to contain Drago[®] Sealant around penetrations of Drago[®] Wrap.

Company Name, Address, and Telephone of the Responsible Party Stego Industries, LLC 216 Avenida Fabricante #101 San Clemente, CA 92672 USA

Main Contact Number: (877) 464-7834

Emergency Telephone Number Emergency Number: 1 (800) 424-9300 (24 Hrs.) CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION

No hazardous identification necessary under expected uses.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Not Applicable – Material is exempt from regulation because it is an "article" per the definition from Title 29 of the Code of Federal Regulations, OSHA Part 1910.1200© (copied below):

Definitions: Article means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees.

SECTION 4: FIRST AID MEASURES

First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If large quantities are swallowed, call a physician immediately.

SECTION 5: FIRE-FIGHTING MEASURES

Flashpoint: Not applicable.
Lower Explosion Limit (LEL): Not applicable.
Upper Explosion Limit (UEL): Not applicable.
Extinguishing Media: ABC, CO₂, Water.
Special Fire Fighting Procedures: Self-contained breathing apparatus.
Unusual Fire/Explosion Hazards: Generations of hydrogen chloride (HCl) fumes.
Hazardous Products of Combustion: Carbon Monoxide (CO) and HCl.



DRAGO[®] SEALANT FORM SAFETY DATA SHEET

Revision Date: May 18, 2021 | Date of Issue: May 15, 2017 | Version Number: 3.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Not applicable.

SECTION 7: HANDLING AND STORAGE

Storage Conditions: Cool, dry storage recommended. Indoor storage recommended.

Installation Temperature Range: 50-110°F (surface).

In-Service Temperature Range: -40-160°F (surface and surrounding).

Exposure to Ultraviolet Radiation/Weather Events: The amount of time between when Drago Sealant Form is installed and when concrete is placed or other complete protection from sunlight and weather events is provided should be minimized while not exceeding 7 days.

Please review the remainder of the SDS and relevant technical data sheets for storage and additional information. If any of the conditions cited above pose a problem for the typical installation of the Drago Sealant Form, please contact Stego Industries for additional information and solutions.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

No protective requirements are necessary under normal use. **Eye protection is recommended** if slicing logs into roll goods. **Local exhaust is recommended** if thermoforming material.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Since this product are not liquids, physical characteristics such as boiling point, vapor pressure, vapor density, percent volatile, evaporation rate, etc. are not applicable.

SECTION 10: STABILITY AND REACTIVITY

Material is stable. Incompatibility: None known. Keep away from fire. Hazardous Decomposition Products: Thermal decomposition may produce, CO, CO₂, and HCl.

SECTION 11: TOXICOLOGICAL INFORMATION

No data available.

SECTION 12: ECOLOGICAL INFORMATION

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

No special precautions needed.

Waste Disposal Method: Landfill (in accordance with local disposal regulations).



Revision Date: May 18, 2021 | Date of Issue: May 15, 2017 | Version Number: 3.0

SECTION 14: TRANSPORT INFORMATION

No special precautions needed.

SECTION 15: REGULATORY INFORMATION

None known.

No chemical safety assessment has been carried out for these materials by the supplier.

SECTION 16: OTHER INFORMATION

Disclaimer: The information contained herein only applies to the noted product. To the best of our knowledge, having been obtained through our suppliers or third parties, this information is accurate. We make no warranties, express or implied, concerning this information or the safe use of the noted product, and we disclaim liability from loss, damage, or other from the product's use, handling, or storage. Users are responsible for verifying the fitness/suitable of the product for any purposes/applications and for confirming compliance with any/all relevant codes or regulations.

Please read the Product Statements for all Drago[®] products by navigating here: stegoindustries.com/legal